

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5673	380/277-280.ccls. or 713/189-194. ccls. or 726/16-20.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 14:36
L2	2275	(input with output with (key\$1 or random) with (equivalent or identical or "same"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 14:36
L3	82	1 and 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 14:37
S1	1	"20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 10:34
S3	5	"4004089".pn. or "20010038693".pn. or "20030007644".pn. or "5420928".pn. or "6957329".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 15:14
S4	1	10/712,003	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 15:14
S5	2275	(input with output with (key\$1 or random) with (equivalent or identical or "same"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:06
S6	32	(input near2 output near2 (key\$1 or random) near4 (equivalent or identical or "same"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:47
S7	55	(output adj key\$1) near2 ("same" or equivalent) near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:49
S8	4	(output adj key\$1) adj ("same" or equivalent) near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:50
S9	18	(output adj key\$1) with ("same" or equivalent) with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:50

EAST Search History

S10	17	S9 not S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:50
S11	55	(output adj key\$1) near2 ("same" or equivalent) near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:04
S13	18	(output adj key\$1) near2 compar\$3 near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:08
S16	7	(output adj key\$1) with compar\$3 with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:13
S17	9	(output adj (key\$1 or random)) with compar\$3 with (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:14
S18	2	S17 not S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:12
S19	0	(output adj key\$1) with if with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:13
S20	0	(output adj (key\$1 or random)) with if with (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:14
S21	0	(output adj (key\$1 or random)) same if same (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:15
S22	0	(output adj (key\$1 or random)) same "if" same (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:15
S23	1	(output adj (key\$1 or random)) and "if" and (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:15
S24	0	(output adj (key\$1 or random)) and if same (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:16

EAST Search History

S25	1	(output adj (key\$1 or random)) and if and (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:16
S26	0	if with (output adj key\$1) with equivalent with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:18
S27	0	(if with (output adj key\$1) with equivalent with (input adj key\$1)) and "20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:18
S28	1	((output adj key\$1) with equivalent with (input adj key\$1)) and "20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:19
S29	0	("if" with (output adj key\$1) with equivalent with (input adj key\$1)) and "20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:19
S30	2	((output adj key\$1) with equivalent with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:20
S31	2	((output adj key\$1) with similar with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:26
S32	6	((output adj key\$1) with match\$3 with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 10:46
S33	0	((output adj key\$1) same match\$3 same (input adj key\$1)) same feedback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:29
S34	0	((output adj key\$1) same match\$3 same (input adj key\$1)) same loopback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:29
S35	15	((output adj key\$1) same identical same (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:30
S36	1	encryptor with (engine\$1 with processor\$1 with memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:32

EAST Search History

S37	45	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:33
S38	0	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) same encryptor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:34
S39	1	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) same (output adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:34
S40	1	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) and (output adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:35
S41	1	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) and (encryptor\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:36
S42	124	((encrypt\$3 adj engine\$1) same processor\$1 same memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:36
S43	79	S42 not S37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:36
S44	27	S42 and (second near2 key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:37
S45	6	((output adj key\$1) with (diff\$1 or different) with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 11:02
S46	1	"4908861".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 11:02
S47	124	((encrypt\$3 adj engine\$1) same processor\$1 same memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 11:22